



venome®



VENOME PEEL

YEAR-ROUND REVITALIZATION OF THE SKIN



THE NEW LINE OF VENOME PEELS

SKIN-VEST-MENT PEEL-VEST-MENT - INVEST IN YOUR SKIN



VENOME PEEL MANDELIC GLOW

6 ml

Venome Mandelic Glow is a chemical peel which enables you to safely address multiple skin problems. The product contains **40% mandelic acid**, which is a fruit acid, or alpha hydroxy acid (AHA), that boosts the process of cellular regeneration, stimulates fibroblasts to produce **protein fibers**, and demonstrates strong bacteriostatic properties. The product does not cause photosensitivity, and can therefore be used all year long.



Mandelic acid is a product of the hydrolysis of certain organic compounds. Its particles have a relatively large mass, and therefore the product can gradually penetrate into deeper layers of the epidermis, giving you more control over the treatment and reducing the risk of irritation.

Venome Mandelic Glow effectively eliminates dark spots and hyperpigmentation by abrading the stratum corneum, thus weakening or completely removing the links between corneocytes, and producing the effect of microexfoliation. As a result, the living parts of the epidermis become thicker. Faster removal of cells with too much melanin, causing dark spots, means the skin gradually recovers its healthy color.

DIRECTIONS FOR USE VENOME MANDELIC GLOW

TREATMENT PROTOCOL FOR PEEL

Mandelic acid is versatile and potent. The product regulates sebum secretion, reduces keratosis pilaris, minimizes the appearance of large pores, and has anti-bacterial properties — so it is recommended for problematic skin.

Venome Mandelic Glow stimulates the production of **ceramides**, **glycosaminoglycans** (GAG), and **collagen and elastin fibers**, thus making the skin more hydrated and strengthening its natural protective barrier, which in turn improves skin density and diminishes the appearance of superficial lines.

When used regularly, Venome Mandelic Glow minimizes the negative impact of **photoaging**, makes the skin more **toned**, and restores its **healthy glow**.

INDICATIONS

Superficial wrinkles

Dark spots and local hyperpigmentation

Acne

Keratosis pilaris

Large pores and comedones

Uneven skin texture

Dull skin

Oily and combination skin

Loss of elasticity and glow

SESSIONS

The recommended course of treatment includes a maximum of four sessions, **1-4 weeks apart**. During the course of the treatment, it is important to use a **regenerating moisturizer** as well as **SKIN ANTIDOTE GLOW** in the evening and **SPF 50+** during the day to protect the skin against sun damage.

Start



Treatment completed

1. Completely **remove make up** and any residual oil in the treatment area.
2. Collect the product from the container using the collection **needle and a syringe**. Depending on the area, collect the **suitable amount**: face (3 mL), neck (2 mL), décolletage (2 mL), hands (2 mL).
3. Apply the product with your hands (make sure to wear gloves) and **firmly massage into the skin**.
4. Leave on the skin for **6-15 minutes**. The optimal time depends on the condition of the skin as well as the patient's individual requirements. In any areas requiring stronger action, apply a second layer of the peel.
 - **6-8 minutes**: sensitive and couperose skin
 - **8-10 minutes**: normal skin, visible signs of aging
 - **10-12 minutes**: skin prone to inflammation and comedones
 - **12-15 minutes**: thick, oily skin, excessive sebum secretion, dark spots and hyperpigmentation
5. **Rinse** with cool water. If the patient complains about strong burning sensation or if the skin becomes intensely red, **immediately rinse** the treated area with water in order to remove the acid.
6. In order to achieve even better results and additionally protect the treated skin, use **Skin Antidote Glow** and a **sunscreen**.

DIRECTIONS FOR USE VENOME MANDELIC GLOW

COMBINED TREATMENT PROTOCOL WITH MICRONEEDLING

Start



1. Completely **remove make up** and any residual oil in the treatment area.



2. Collect the product from the container using the collection **needle and a syringe**. Depending on the area, collect the **suitable amount**: face (3 mL), neck (2 mL), décolletage (2 mL), hands (2 mL).



3. Apply the product with your hands (make sure to wear gloves) and **firmly massage into the skin**. Move on to the next stage.



4. Perform **microneedling** — adjust the depth to the type and condition of the skin. The recommended depth is between **0.2 mm to 1.5 mm**.



5. If the skin requires strong stimulation, apply another layer of the peel, for about **3 minutes**.



6. **Rinse the product** with cool water and disinfect the treatment area. If the patient complains about strong burning sensation or if the skin becomes intensely red, **immediately rinse** the treated area with water in order to remove the acid.



7. In order to achieve even better results and additionally protect the treated skin, use **Skin Antidote Glow** and a **sunscreen**.

Treatment completed

VENOME PEEL LACTIC HYDRATION

6 ml

Venome Lactic Hydration chemical peel is a revitalizing treatment which strengthens the skin's natural protective barrier, directly increasing the amount of ceramides, and thus making the skin more hydrated and its lipid barrier — stronger. A unique combination of **lactic acid**, **three amino acids**, **allantoin** and **ascorbic acid** stimulates skin cells, improves skin quality and the structure of its superficial layers, making it toned and lifted.



Lactic acid used in the product is an alpha hydroxy acid (AHA) formed as a result of sugar fermentation by lactic acid bacteria. It is also one of the components of the **natural moisturizing factor** (NMF), which means it protects tissues against damage, effectively nourishes the skin, and provides the right level of hydration. It also helps regulate the process of **epidermal keratinization**, restoring the natural, **physiological pH**, and thus making the skin **soft** and **smooth**.

Lactic acid clears the pores and is therefore recommended to prevent blemishes resulting from improper skin care at home. Lactic Hydration also suppresses tyrosinase, thus brightening the skin and minimizing the appearance of dark spots.

DIRECTIONS FOR USE VENOME LACTIC HYDRATION

TREATMENT PROTOCOL FOR PEEL

Start



Treatment completed

1. Completely **remove make up** and any residual oil in the treatment area.
2. Collect the product from the container using the collection **needle and a syringe**. Depending on the area, collect the **suitable amount**: face (3 mL), neck (2 mL), décolletage (2 mL), hands (2 mL).
3. Apply the product with your hands (make sure to wear gloves) and **firmly massage into the skin**.
4. Leave on the skin for **6-15 minutes**. The optimal time depends on the condition of the skin as well as the patient's individual requirements. In any areas requiring stronger action, apply a second layer of the peel.
 - **6-8 minutes**: sensitive and couperose skin
 - **8-10 minutes**: normal and dry skin, dull skin, first signs of aging
 - **10-12 minutes**: skin prone to inflammation and comedones, skin with impurities and large pores
 - **12-15 minutes**: thick skin, with visible wrinkles and loss of firmness
5. **Rinse** with cool water. If the patient complains about strong burning sensation or if the skin becomes intensely red, **immediately rinse** the treated area with water in order to remove the acid.
6. In order to achieve even better results and additionally protect the treated skin, use **Skin Antidote Hydration** and a **sunscreen**.

Owing to the use of an **amino acid complex** contained in the NMF, which includes **lysine, glycine** and **serine**, the product boosts extracellular matrix synthesis and slows down the skin aging process. The product contains **glycine**, which is one of the main components of collagen fibers (33.7% of all amino acid residues), and thus makes tissues firmer and more elastic.

The product is also rich in highly hygroscopic **allantoin**, a keratolytic agent which boosts skin regeneration.

Ascorbic acid is a powerful antioxidant which eliminates large amounts of oxygen free radicals.

Venome Lactic Hydration chemical peel contains a unique combination of lactic acid, amino acid complex, allantoin and ascorbic acid, and is therefore perfect for moisturizing and regenerating the skin, as well stimulating fibroblast production. It restores **skin hydration** and **firmness**.

INDICATIONS

Dry skin

Dull skin

Loose skin

Uneven skin, dry patches or excessive sebum excretion

Flaccid skin, visible aging signs

Minor acne scars

Skin with impurities

SESSIONS

The recommended course of treatment includes a maximum of four sessions, **1-4 weeks apart**. During the course of the treatment, it is important to use a **regenerating moisturizer** as well as **SKIN ANTIDOTE HYDRATION** in the evening and **SPF 50+** during the day to protect the skin against sun damage.

DIRECTIONS FOR USE VENOME LACTIC HYDRATION

COMBINED TREATMENT PROTOCOL WITH MICRONEEDLING

Start



1. Completely **remove make up** and any residual oil in the treatment area.



2. Collect the product from the container using the collection **needle and a syringe**. Depending on the area, collect the **suitable amount**: face (3 mL), neck (2 mL), décolletage (2 mL), hands (2 mL).



3. Apply the product with your hands (make sure to wear gloves) and **firmly massage into the skin**. Move on to the next stage.



4. Perform **microneedling** — adjust the depth to the type and condition of the skin. The recommended depth is between **0.2 mm to 1.5 mm**.



5. If the skin requires strong stimulation, apply another layer of the peel, for about **3 minutes**.



6. **Rinse the product** with cool water and disinfect the treatment area. If the patient complains about strong burning sensation or if the skin becomes intensely red, **immediately rinse** the treated area with water in order to remove the acid.



7. In order to achieve even better results and additionally protect the treated skin, use **Skin Antidote Hydration** and a **sunscreen**.

Treatment completed



FITTED EXFOLIATION AND DAILY CARE FROM VENOME

Enhance the effect of the treatment with the use of using a 5-day peel Skin Antidote repair program in ampoules with serum.



VENOME PEEL

TCA LIFT

5 ml

Venome TCA Lift is a **medical chemical peel** intended for intense skin **revitalization**. It can be used for a variety of indications and offers a **high safety** profile. The formula of the product is a combination of **20% trichloroacetic (TCA)**, **kojic** and **mandelic acids** that effectively **eliminates** signs of **aging** by **stimulating fibroblasts** to produce collagen and elastin fibers. It also demonstrates **bacteriostatic activity** and **reduces** the appearance of any **discolorations** and local **hyperpigmentation**. The product does not cause photosensitivity, so it can be used all year long.



Trichloroacetic acid used in the product is a carboxylic acid and it is the strongest organic chemical compound. Owing to its characteristic structure and **strength** (pKA=0.66), it can **penetrate** into the **deep layers of the skin** and induce a number of restorative processes leading to a visible improvement of skin condition. **TCA stimulates the process of cellular regeneration of the dermis**, which involves the disintegration of protein bonds between amino acids.

As a result, cells can separate, the living parts slough off and **old structures are replaced with new** keratinocytes. Additionally, the acid irritates keratinocytes, which in turn release **cytokines** — inflammatory **mediators directly affecting fibroblasts** and stimulating them to increase collagen and elastin production. **TCA Lift** gradually **reduces** the number of **fine lines**, increases skin tone, and **diminishes** the appearance of **scars** and stretch marks by improving the **quality of skin** structures.

The addition of **kojic acid** in the Venome TCA Lift allows to **eliminate discolorations** and **dark spots** of various origins. Kojic acid is an efficient **tyrosinase inhibitor**. Tyrosinase is one of the most important elements in the process of melanogenesis (**melanin** production). By inhibiting this process, pigment cells are deprived of excessive melanin, which **brightens** skin in selected areas. **Kojic acid** used in **TCA Lift** demonstrates **anti-oxidant** activity, eliminating free **radicals** which damage skin protein fibers.

The product also contains **mandelic acid** that **alleviates keratosis pilaris**, a condition which often leads to skin inflammation. The product **closes up** large pores, eliminating **excessive sebum secretion** and demonstrating **antibacterial** action, as its structure is similar to that of antibiotics. This is why it is also recommended for problematic skin types.

Venome TCA Lift peel, owing to the unique combination of **three acids**: trichloroacetic, kojic, and mandelic, effectively **eliminates** wrinkles and **flaccidity** by stimulating **fibroblasts** to produce protein fibers. The product allows to **restore even skin tone** and eliminate **inflammation**, thus helping the skin regain a healthy **structure** and glow, and eliminating **dark spots** and any discolorations.

INDICATIONS

Loss of density and face contour definition

Persistent wrinkles

Dark spots and hyperpigmentation

Small scars

Blemishes and inflammation

Skin with impurities: large pores and comedones

Slow cellular regeneration

SESSIONS

The treatment should be performed every **7–8 days**, over **4–6 sessions**, depending on the recommendations of the practitioner and the desired result.

VENOME TCA LIFT TREATMENT PROTOCOL

Start



Treatment completed

1. Carefully **remove make up and cleanse** the treatment area (face, neck, décolletage or any other body parts). It is advised to wear gloves in order to protect hands against the acid, and protect the patient's mucous membranes, eyes, and periorbital area, which must not have any contact with the product.
2. **Draw 2–5 mL of the product** into the syringe. The amount can vary depending on the treatment area and the size of the treated lesion.
3. **Apply a thin layer** of the peel with your gloved hand and massage into the skin until the product becomes sticky. Avoid mucous membranes and the periorbital area.
4. **Leave the product** on the skin for **4–6 minutes**. The patient can experience a tingling sensation during the treatment. How long the product should be left on the skin depends on the skin type and skin concern.
 - **4 minutes** — delicate and sensitive skin
 - **5 minutes** — normal skin with visible signs of aging or prone to inflammation
 - **6 minutes** — oily and combination skin with prominent wrinkles
5. Once the treatment time is over, **remove any residue** with damp gauze and carefully cleanse the treatment area. After the treatment, the skin can be slightly red. This should recede within a few hours. Skin can also become locally dry — this is the result of exfoliation.
6. After the treatment, apply a moisturizing and soothing cream, as well as **SPF 50+ sunscreen**.
7. In order to boost the result of the treatment, use **Skin Antidote Lift**.

VENOME TCA LIFT TREATMENT PROTOCOL WITH MICRONEEDLING

Start



1. Carefully **remove make up and cleanse** the treatment area (face, neck, décolletage or any other body parts). It is advised to wear gloves in order to protect hands against the acid, and protect the patient's mucous membranes, eyes, and periorbital area, which must not have any contact with the product.
2. **Draw 2–5 mL of the product** into the syringe. The amount can vary depending on the treatment area and the treated lesion.
3. **Apply a thin layer** of the peel with your gloved hand and massage into the skin until the product becomes sticky. Avoid mucous membranes and the periorbital area.
4. **Leave the product** on the skin for **2–3 minutes**. The patient can experience a tingling sensation during the treatment. How long the product should be left on the skin depends on the skin type and skin concern.
 - **2 minutes** — normal skin with visible signs of aging or prone to inflammation
 - **3 minutes** — oily and combination skin with prominent wrinkles
5. **Perform microneedling** — adjust the depth to the skin type and skin condition. The recommended range is between 0.2 mm and 1.5 mm. Disinfect the treatment area.
6. If the skin requires stronger stimulation, **apply another layer** of the peel, according to recommendations:
 - **2 minutes** — normal skin with visible signs of aging or prone to inflammation
 - **3 minutes** — oily and combination skin with prominent wrinkles

VENOME TCA LIFT TREATMENT PROTOCOL WITH MICRONEEDLING



Treatment
completed

7. Once the treatment time is over, **disinfect the skin, remove any residue** with damp gauze and carefully cleanse the treatment area. After the treatment, the skin can be slightly red. This should recede within a few hours. Skin can also become locally dry — this is the result of exfoliation.
8. After the treatment, apply a moisturizing and soothing cream, as well as **SPF 50+ sunscreen**.
9. In order to boost the result of the treatment, use **Skin Antidote Lift**.

PERFECT COMBINATION



PEELING AND POST-TREATMENT CARE

YEAR-ROUND PEELS



**VENOME
MANDELIC GLOW**
40% mandelic acid

VENOME TCA LIFT
Trichloroacetic acid (20%),
kojic acid,
mandelic acid

**VENOME
LACTIC HYDRATION**
Lactic acid,
amino acid complex,
ascorbic acid



venome®



office@venome-global.com



[@venomeofficial](https://www.facebook.com/venomeofficial)



www.venome-global.com