



venome®

## VENOME TRYCHO TWO-STAGE REPAIR TREATMENT

### HAIR BULB STIMULATION WITH REJUVENATION AND HAIR STREAK PROTECTION

#### INDICATIONS



WEAKENED DISULFIDE  
BRIDGES IN HAIRS



THIN AND  
BRITTLE HAIR



ANDROGENIC  
HAIR LOSS



HAIR LOSS  
ASSOCIATED WITH  
STRESS OR TAKEN  
MEDICINES



HAIR WEAKENED  
AFTER  
HAIRDRESSER'S  
WORK

#### PRODUCTS



**VENOME HAIR  
FILLER**



**VENOME HAIR  
FILLER 2.0**

**Two-stage procedure** involving treatment with **Venome Hair Filler** alternated with **Venome Hair Filler 2.0**. Application of both preparations in therapy causes intensive stimulation of hair bulbs, strengthening of hair shafts, supplementation of keratin deficiencies, strengthening of disulfide bridges and maintenance of prolonged aesthetic effect after the procedure.

**Venome Hair Filler** contains an innovative combination of hyaluronic acid and biomimetic peptides responsible for stimulation of activity and cellular division, additionally speeding scalp microcirculation up. Thanks to its concentrated formula, the preparation inhibits hair loss and stimulates hair bulbs for growing new shafts.

**Venome Hair Filler 2.0** is the perfect finish of therapy: the preparation has the same peptide complex, but it is enriched by hydrolysed keratin, which strengthens hairs from their base. The preparation contains a centella asiatica extract, which improves vessel supply in the scalp, and copper tripeptide, which accelerates the growth phase and also prevents hair from turning grey.

After the trichological treatment, the hairs become **thicker and resistant to damage** and the scalp ends up **intensively moisturised**.



 **VENOME HAIR FILLER**



## COURSE OF PROCEDURE

### STAGE I. VENOME HAIR FILLER

1. **PULL 2 ML OF VENOME HAIR FILLER** INTO A SAMPLING NEEDLE.
2. **DISINFECT** THE AREA TO BE TREATED.
3. **PERFORM** THE PROCEDURE.
4. **DISINFECT** THE TREATED AREA.

**PERFORM THE NEXT PROCEDURE AFTER 14 DAYS.**



● **VENOME HAIR FILLER 2.0**



## **STAGE II.** VENOME HAIR FILLER 2.0

- 1. PULL 3 ML OF VENOME HAIR FILLER 2.0 INTO A SAMPLING NEEDLE.**
- 2. DISINFECT THE AREA TO BE TREATED.**
- 3. PERFORM THE PROCEDURE.**
- 4. DISINFECT THE TREATED AREA.**

**TO OBTAIN THE FULL TREATMENT EFFECT, PERFORM 4 TO 6 PROCEDURES IN A ROW ALTERNATING BETWEEN VENOME HAIR FILLER AND VENOME HAIR FILLER 2.0.**